

## IMMUNISATION FOR GIRLS

Vaccine	Recommended age
BCG	0-3 MONTHS
ROTAVIRUS VACCINE 1	6 WEEKS
PCV 1	6 WEEKS
HEXAVALENT 1 + OPV 1	6 WEEKS
ROTAVIRUS VACCINE 2	10 WEEKS
HEXAVALENT 2 + OPV 2	10 WEEKS
PCV 2	14 WEEKS
HEXAVALENT 3 + OPV 3	14 WEEKS
MMR	9 MONTHS
PCV 3	10 MONTHS
BOOSTER MMR	17 MONTHS
BOOSTER HEXAVALENT + OPV 4	18 MONTHS
BOOSTER DT/OPV	(SCHOOL ENTRY)5 YRS
HPV VACCINE1 (GIRLS ONLY)	9 YRS
HPV VACCINE 2 (after 6 months) (GIRLS ONLY)	9 YRS
TETANUS TOXOID	11 – 12 YRS
Others	

**NOTE:**

**Hexavalent: Diphtheria, Pertussis, Tetanus, HaemophilusInfluenzae Type B, Polio (Inactivated), Hepatitis B**

**MMR: Measles, Mumps, Rubella**

**PCV: Pneumococcal Conjugate Vaccine**

**HPV: Human Papilloma Virus Vaccine**

**DT: Diphtheria, Tetanus**

**OPV: Oral Polio Vaccine**