

GOVERNMENT ANALYST DIVISION

MINISTRY OF HEALTH AND WELLNESS

1ST FLOOR, NATIONAL LABORATORIES COMPLEX

REDUIT 80835, MAURITIUS

TEL: 4665601, 4662134 FAX: 4661621 EMAIL: moh-gad@govmu.org

Issue 1 Rev 3

GAD/DI/082

Page 1 of 2

REQUEST FORM FOR WATER ANALYSIS FROM ENVIRONMENTAL HEALTH ENGINEERING UNIT**1. OFFICER INFORMATION (TO BE FILLED BY SAMPLING OFFICER FROM ENVIRONMENTAL HEALTH ENGINEERING UNIT)**

Date/Time Sample Taken : Sample Reference No :

Name of Sampling Officer :

Status :

Environmental Health Engineering Unit :

Address :

Tel No. : Fax No. : Email Address :

**OFFICIAL
STAMP**
(If Available)**2. SAMPLE INFORMATION**

Nature of Sample :

Sample Description :

Sampling Point :

Packaging : Sealed ☐ Unsealed ☐ Original Container ☐ Unlabeled ☐

Type of Sample Packaging :

Quantity Submitted : Net Volume per container:

Specific Storage Conditions : NA ☐ Yes ☐ Other ☐ (specify).....**3. ANALYSIS REQUESTED**Environment Act ☐ Others ☐ (Specify).....**4. PURPOSE OF ANALYSIS**Compliance ☐ Routine ☐ Surveillance ☐ Complaint ☐ Other ☐ (Specify):

I agree that :

(i) the information given above are true and correct,

(ii) information/data will be stored and used in accordance with the Data Protection Act and disclosure of same by you (customer) will be at your own responsibility,

(iii) Decision Rule as per Decision Rule Mechanism (GAD/DI/104) will be applied, where necessary, when statement of conformity is requested, and

(iv) I will be informed in advance on information that the Government Analyst Division intends to put in the public domain and/or on notification of relevant authorities on issues of National/Public Health interest, and

(v) a description of the handling process for complaints shall be made available to any interested parties on request.

Name of Officer : Signature : Date :

5. COMMUNICATION/RECORD OF REVIEW/PERTINENT DISCUSSION WITH CUSTOMER ON DEVIATION FROM METHOD AND TEST REQUESTED (IF ANY)

Name of Officer (Laboratory) : Signature : Date : ..

Name of Officer (Environmental Health Engineering Unit) : Signature : Date : ..

6. DISCLAIMER*The accreditation of the Government Analyst Division or any of its reports or certificates in no way constitute or imply product, process, service, management system or person (where relevant) approval by MAURITAS*

7. Name of Officer submitting sample :

Status : Signature : Date :

8. CRITERIA FOR SAMPLE ACCEPTANCE

(FOR LABORATORY USE ONLY)

Issue 1 Rev 3
GAD/DI/082
Page 2 of 2

(i) Sample accompanied with request form (GAD/DI/082)	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
(ii) Request form completely filled and signed	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
(iii) Signature of sampling officer	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
(iv) Original stamp of Environmental Health Engineering Unit	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
(v) Sample submitted corresponds with sample description in request form	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
(vi) Test(s) requested specified	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
(vii) Type of packaging	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
(viii) Quantity submitted corresponds with that on request form	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
(ix) Specific storage conditions mentioned	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
(x) Reference number of sample corresponds with that on request form	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
(xi) Label on sample submitted is legible	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
(xii) Any visible damage/leakage <i>(Not applicable for complaints)</i>	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> NA
(xiii) Quantity of at least 10 L submitted <i>(Not applicable for complaints)</i>	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> NA
(xiv) Packaging labeled and unopened <i>(Not applicable for complaints)</i>	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> NA

Sample meets acceptance criteria: Yes ☐ No ☐

Remarks/Observations (if any) :

.....

Sample Criteria verified by: Signature:

9. REVIEW OF REQUEST

Review of request done with regards to Resources (Personnel – Availability and Competence, Equipment, Certified Reference Standard/ Material, Consumables), Appropriate Methods or procedures, Turn around Time(TAT) and sample **can be accepted/ cannot be accepted**. *(Delete as appropriate)*

Remarks (if any):.....

.....

Review of request done by :

Name : Status : Signature : Date :

10. SAMPLE ACCEPTANCE

Sample Accepted

Sample condition upon receipt: Ambient ☐ Chilled ☐ Frozen ☐ Other:

Received by: Signature:

Date/Time: Laboratory Sample Reference No. assigned:

Sample Not accepted

Reason for rejection:

Justified by: Signature:

Sample returned : ☐ Yes ☐ No ☐ Discarded Date/Time :

Sample returned to : Sample returned by :